







REV.	ECN #	DESCRIPTION OF CHANGE	DATE	BY	MFG ENG
04	2536	VARIOUS UPDATES	11/04/11	SAB	
05	2738	UPDATE KNOCKOUT PATTERN	08/09/12	SAB	
06	2815	UPDATE HARDWARE	10/17/12	TT	
07	3190	ADD INSTALLATION PROCEDURE	10/25/13	SAB	



- NOTES:
1. ENCLOSURE CONSTRUCTED OUT OF DURABLE & CORROSION RESISTANT 3003 ALUMINUM.
 2. STAINLESS STEEL DOOR HINGES.
 3. COMPLETELY WELDED CONSTRUCTION FOR HIGHER STRENGTH AND SEALING.
 4. ENCLOSURE AS SHOWN ON THIS SHEET IS NEMA TYPE 1 COMPLIANT AS ORDERED BY P/N 045-042-10. SEE SHEET 2 FOR INCLUDED ACCESSORIES.
 5. AVAILABLE IN SANDSTONE UL LISTED #20-8256HY.
 6. ADAPTER MODULES AND SPLICE TRAYS SHOWN FOR REFERENCE ONLY.
 7. WALL MOUNT AND POLE MOUNT BRACKETS ARE SHOWN FOR REFERENCE ONLY.


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS: DECIMALS: ANGLES: $\pm 1/32$.XX = $\pm .03$ $\pm 1^\circ$.XXX = $\pm .010$ ALL FLATS TO BE $\pm .005$ NO SHARP EDGES OR BURRS ALLOWED			THIS DOCUMENT AND THE INFORMATION CONTAINED THEREIN ARE CONFIDENTIAL & PROPRIETARY TO MULTILINK AND MAY NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT A WRITTEN CONSENT FROM MULTILINK. THE INFORMATION IS TO BE PROMPTLY RETURNED TO MULTILINK UPON REQUEST.			Multilink	
MATERIAL: SEE BOM			DRAWN BY: SK		DATE: 07/01/2006	FWM-12X-N4D-BE	
FINISH: SANDSTONE			CHECKED:		DATE:	SIZE B	
DO NOT SCALE DRAWING			MFG ENG:		DATE:	DWG. NO. 045-042-10REF	
			QUALITY ENG:		DATE:	REV. 07	
			SCALE: 1:6		CAD FILE: 045-042-10REF	SHEET: 1 OF 3	

REV.	ECN #	DESCRIPTION OF CHANGE	DATE	BY	MFG ENG
04	2536	VARIOUS UPDATES	11/04/11	SAB	
05	2738	UPDATE KNOCKOUT PATTERN	08/09/12	SAB	
06	2815	UPDATE HARDWARE	10/17/12	TT	
07	3190	ADD INSTALLATION PROCEDURE	10/25/13	SAB	



OPTIONAL WALL MOUNT KIT
P/N 072-105-11

2X STRAIN RELIEF KIT
FOR 1" NPT FITTING




DANGER LABEL

8X FIBER MANAGEMENT CLIP



2X KEY FOR INNER
DOOR LOCK





48 PORT
DISTRIBUTION LABEL



24 PORT
DISTRIBUTION LABEL

2X VELCRO STRAP TO
SECURE SPLICE TRAYS

WALL MOUNT BRACKET
TOP AND BOTTOM



NOTES:
1. ENCLOSURE SHOWN ON THIS SHEET WITH OPTIONAL WALL MOUNT KIT IS NEMA TYPE 4X COMPLIANT.

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
FRACTIONS: DECIMALS: ANGLES:
±1/32 .XX=±.03 ±1°
.XXX=±.010
ALL FLATS TO BE ±.005
**NO SHARP EDGES OR
BURRS ALLOWED**
MATERIAL: SEE BOM
FINISH: SANDSTONE
DO NOT SCALE DRAWING






THIS DOCUMENT AND THE INFORMATION
CONTAINED THEREIN ARE CONFIDENTIAL
& PROPRIETARY TO MULTILINK AND MAY NOT
BE COPIED OR DISCLOSED TO OTHERS
WITHOUT A WRITTEN CONSENT FROM
MULTILINK. THE INFORMATION IS TO BE
PROMPTLY RETURNED TO MULTILINK UPON
REQUEST.
DRAWN BY: SK DATE: 07/01/2006
CHECKED: DATE:
MFG ENG: DATE:
QUALITY ENG: DATE:

Multilink

FWM-12X-N4D-BE

SIZE B DWG. NO. 045-042-10REF REV. 07
SCALE: 1:6 CAD FILE: 045-042-10REF SHEET: 2 OF 3

REV.	ECN #	DESCRIPTION OF CHANGE	DATE	BY	MFG ENG
04	2536	VARIOUS UPDATES	11/04/11	SAB	
05	2738	UPDATE KNOCKOUT PATTERN	08/09/12	SAB	
06	2815	UPDATE HARDWARE	10/17/12	TT	
07	3190	ADD INSTALLATION PROCEDURE	10/25/13	SAB	



OPTIONAL POLE MOUNT KIT
P/N 072-061-10
(INCLUDES WALL MOUNT KIT)

NOTES:
1. ENCLOSURE SHOWN ON THIS SHEET WITH OPTIONAL POLE MOUNT KIT IS NEMA TYPE 4X COMPLIANT.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS: DECIMALS: ANGLES: ±1/32 .XX=±.03 ±1° XXX=±.010 ALL FLATS TO BE ±.005 NO SHARP EDGES OR BURRS ALLOWED			THIS DOCUMENT AND THE INFORMATION CONTAINED THEREIN ARE CONFIDENTIAL & PROPRIETARY TO MULTILINK AND MAY NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT A WRITTEN CONSENT FROM MULTILINK. THE INFORMATION IS TO BE PROMPTLY RETURNED TO MULTILINK UPON REQUEST.						
MATERIAL: SEE BOM			DRAWN BY: SK		DATE: 07/01/2006		FWM-12X-N4D-BE		
FINISH: SANDSTONE			CHECKED:		DATE:				
DO NOT SCALE DRAWING			MFG ENG:		DATE:				
			QUALITY ENG:		DATE:				
			SIZE B		DWG. NO. 045-042-10REF		REV. 07		
			SCALE: 1:6		CAD FILE: 045-042-10REF		SHEET: 3 OF 3		

Multilink

FWM-12X-N4D-BE

REV.
07