


REV.	ECN #	DESCRIPTION OF CHANGE	DATE	BY	MFG ENG
01	N/A	INITIAL RELEASE	06/04/14	SJK	



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS: DECIMALS: ANGLES: ±1/32 .XX=±.03 ±1° .XXX=±.010 ALL FLATS TO BE ±.005 NO SHARP EDGES OR BURRS ALLOWED MATERIAL: SEE B.O.M. FINISH: BARE (NATURAL FINISH) DO NOT SCALE DRAWING			THIS DOCUMENT AND THE INFORMATION CONTAINED THEREIN ARE CONFIDENTIAL & PROPRIETARY TO MULTILINK AND MAY NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT A WRITTEN CONSENT FROM MULTILINK. THE INFORMATION IS TO BE PROMPTLY RETURNED TO MULTILINK UPON REQUEST. DRAWN BY: SJK DATE: 06/04/14 CHECKED: DATE: MFG ENG: DATE: QUALITY ENG: DATE:			Multilink 336S TCC-OOCEA DOT SIZE B DWG. NO. 030-282-10REF REV. 01 SCALE: 1:10 CAD FILE: 030-282-10REF SHEET: 1 OF 6		
---	--	--	---	--	--	--	--	--

REV.	ECN #	DESCRIPTION OF CHANGE	DATE	BY	MFG ENG
01	N/A	INITIAL RELEASE	06/04/14	SJK	

LIFTING BLOCKS WELDED FOR
ADDITIONAL STRENGTH & SUPPORT WHEN
ENCLOSURE IS LIFTED WITH A CRANE

PRESSURE SWITCH
FOR DOOR ALARM
(ALSO ACTIVATES LIGHT
WHEN DOOR OPENS)

FLOURESCENT LIGHT

VENTILATION SLOTS
BACKED WITH A
BUGSCREEN

BRIDGE LANCE STRIPS
FOR FIBER / CABLE
MANAGEMENT

1RU SLIDING DRAWER

POLE MOUNT BRACKETS

DB9 PORT PANEL

RACK RAILS

BOTTOM COVER PLATE FOR
POLEMOUNT APPLICATIONS

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:

FRACTIONS: ±1/32	DECIMALS: .XX=±.03 .XXX=±.010	ANGLES: ±1°
---------------------	-------------------------------------	----------------

ALL FLATS TO BE ±.005

**NO SHARP EDGES OR
BURRS ALLOWED**

MATERIAL:
SEE B.O.M.

FINISH:
BARE (NATURAL FINISH)

DO NOT SCALE DRAWING

THIS DOCUMENT AND THE INFORMATION
CONTAINED THEREIN ARE CONFIDENTIAL
& PROPRIETARY TO MULTILINK AND MAY NOT
BE COPIED OR DISCLOSED TO OTHERS
WITHOUT A WRITTEN CONSENT FROM
MULTILINK. THE INFORMATION IS TO BE
PROMPTLY RETURNED TO MULTILINK UPON
REQUEST.


DRAWN BY: SJK	DATE: 06/04/14
CHECKED:	DATE:
MFG ENG:	DATE:
QUALITY ENG:	DATE:

Multilink


336S TCC-OOCEA DOT

SIZE B	DWG. NO. 030-282-10REF	REV. 01
SCALE: 1:10	CAD FILE: 030-282-10REF	SHEET: 2 OF 6

REV.	ECN #	DESCRIPTION OF CHANGE	DATE	BY	MFG ENG
01	N/A	INITIAL RELEASE	06/04/14	SJK	




FRONT VIEW



BACK VIEW


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS: DECIMALS: ANGLES: ±1/32 .XX=±.03 ±1° .XXX=±.010 ALL FLATS TO BE ±.005 NO SHARP EDGES OR BURRS ALLOWED MATERIAL: FINISH: DO NOT SCALE DRAWING			THIS DOCUMENT AND THE INFORMATION CONTAINED THEREIN ARE CONFIDENTIAL & PROPRIETARY TO MULTILINK AND MAY NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT A WRITTEN CONSENT FROM MULTILINK. THE INFORMATION IS TO BE PROMPTLY RETURNED TO MULTILINK UPON REQUEST. DRAWN BY: SJK CHECKED: SJK MFG ENG: SJK QUALITY ENG: SJK			DATE: 06/04/14 DATE: DATE: DATE: DATE:			SIZE B DWG. NO. 030-282-10REF SCALE: 1:6 CAD FILE: 030-282-10REF			REV. 01 SHEET: 3 OF 6		
--	--	--	--	--	--	---	--	--	--	--	--	-----------------------------	--	--

REV.	ECN #	DESCRIPTION OF CHANGE	DATE	BY	MFG ENG
01	N/A	INITIAL RELEASE	06/04/14	SJK	



POWER PANEL
FDOT SPEC

(2) GREEN, (2) WHITE 6mm
DIN MOUNTED TERMINAL BLOCKS,
UL RECOGNIZED, 22-12 AWG, 25A



REAR PANEL

CB1 30A MAIN CIRCUIT BREAKER
CB2 15A ACCESSORY CIRCUIT BREAKER
CB3 15A EQUIPMENT CIRCUIT BREAKER

GFCI
ACC OUTLET

TB1-TB2 4 POS
TERMINAL BLOCK

EQUIPMENT
OUTLETS

SERVICE ENTRANCE
MARATHON 1103P

(CLEAR PANEL HIDDEN FOR CLARITY)

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
FRACTIONS: DECIMALS: ANGLES:
± 1/32 .XX = ± .03 ± 1°
.XXX = ± .010
ALL FLATS TO BE ± .005
**NO SHARP EDGES OR
BURRS ALLOWED**
MATERIAL:
FINISH:
DO NOT SCALE DRAWING


THIS DOCUMENT AND THE INFORMATION
CONTAINED THEREIN ARE CONFIDENTIAL
& PROPRIETARY TO MULTILINK AND MAY NOT
BE COPIED OR DISCLOSED TO OTHERS
WITHOUT A WRITTEN CONSENT FROM
MULTILINK. THE INFORMATION IS TO BE
PROMPTLY RETURNED TO MULTILINK UPON
REQUEST.
DRAWN BY: SJK DATE: 06/04/14
CHECKED: DATE:
MFG ENG: DATE:
QUALITY ENG: DATE:

Multilink



336S TCC-OOCEA DOT

SIZE B	DWG. NO. 030-282-10REF	REV. 01
SCALE: 1:4	CAD FILE: 030-282-10REF	SHEET: 4 OF 6

REV.	ECN #	DESCRIPTION OF CHANGE	DATE	BY	MFG ENG
01	N/A	INITIAL RELEASE	06/04/14	SJK	



SECTION G-G
SCALE 1 : 10



SECTION F-F
SCALE 1 : 10

- NOTE:
- FANS ARE MOUNTED ON A PLATE WHICH SEALS THE ROOF COMPARTMENT ABOVE IT FROM THE CABINET.

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:

FRACTIONS:	DECIMALS:	ANGLES:
± 1/32	.XX = ± .03 .XXX = ± .010	± 1°

ALL FLATS TO BE ± .005

**NO SHARP EDGES OR
BURRS ALLOWED**

MATERIAL:
SEE B.O.M.

FINISH:
BARE (NATURAL FINISH)

DO NOT SCALE DRAWING

THIS DOCUMENT AND THE INFORMATION
CONTAINED THEREIN ARE CONFIDENTIAL
& PROPRIETARY TO MULTILINK AND MAY NOT
BE COPIED OR DISCLOSED TO OTHERS
WITHOUT A WRITTEN CONSENT FROM
MULTILINK. THE INFORMATION IS TO BE
PROMPTLY RETURNED TO MULTILINK UPON
REQUEST.


DRAWN BY:	DATE:
SJK	06/04/14
CHECKED:	DATE:
MFG ENG:	DATE:
QUALITY ENG:	DATE:

Multilink


336S TCC-OOCEA DOT

SIZE B	DWG. NO. 030-282-10REF	REV. 01
SCALE: 1:6	CAD FILE: 030-282-10REF	SHEET: 5 OF 6

REV.	ECN #	DESCRIPTION OF CHANGE	DATE	BY	MFG ENG
01	N/A	INITIAL RELEASE	06/04/14	SJK	



MOUNTING TEMPLATE



UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
FRACTIONS: DECIMALS: ANGLES:
±1/32 .XX=±.03 ±1°
.XXX=±.010

ALL FLATS TO BE ±.005

**NO SHARP EDGES OR
BURRS ALLOWED**

MATERIAL:
SEE B.O.M.

FINISH:
BARE (NATURAL FINISH)

DO NOT SCALE DRAWING

THIS DOCUMENT AND THE INFORMATION
CONTAINED THEREIN ARE CONFIDENTIAL
& PROPRIETARY TO MULTILINK AND MAY NOT
BE COPIED OR DISCLOSED TO OTHERS
WITHOUT A WRITTEN CONSENT FROM
MULTILINK. THE INFORMATION IS TO BE
PROMPTLY RETURNED TO MULTILINK UPON
REQUEST.

DRAWN BY: **SJK** DATE: **06/04/14**

CHECKED: DATE:

MFG ENG: DATE:

QUALITY ENG: DATE:

Multilink

336S TCC-OOCEA DOT

SIZE **B** DWG. NO. **030-282-10REF** REV. **01**

SCALE: 1:10 CAD FILE: **030-282-10REF** SHEET: **6** OF **6**