



Modular Vault



| | |
|----------------------------------------------------|----------------|
| 801-029-20 | 24"Wx24"Lx12"D |
| 801-030-20 | 24"Wx24"Lx24"D |
| 801-032-20 | 24"Wx36"Lx12"D |
| 801-033-20 | 24"Wx36"Lx24"D |
| 801-035-20 | 36"Wx36"Lx12"D |
| 801-036-20 | 36"Wx36"Lx24"D |
| * Also available with a depth of 36" upon request. | |



Product Description

This durable, modular vault has spacious room to house your below-grade equipment. The Multilink Modular Vault is designed with flexibility in mind. Constructed to suit the needs of the location, this Light Duty Rated Vault is expandable by width, length and depth. A diamond plate steel lid is included to secure the vault per the specified part numbers or Multilink can design the diamond plate to accommodate the specific hole pattern of your cabinet to mount over the vault.

Features & Benefits

Multilink's Modular Vault has been manufactured to lead the industry in performance. Its strength and durability provide long-lasting protection for your equipment.

Designed to be adaptable to a variety of dimensional needs with interlocking and expandable segments.

Made from a durable UV weather-resistant plastic.

Cavity outside design locks vault in the ground when installed.

Can be used under cabinets for cable storage (with optional steel plate and Multilink Composilite Pad).

Specifications



| General | | |
|--------------------|-------------------------------------------|------------------------------------------------------|
| Parameter | Specification | |
| Dimensions: | 24"W x 24"L 24"W x 36"L 36"W x 36"L | 12"H = 1 stage 24"H = 2 stages 36"H = 3 stages |
| Material: | UV Stabilized Plastic | |
| Color: | Black | |
| Rated: | Light Duty | |
| Standards: | ANSI/SCTE77 | |

Ordering Guide

| Stock ID | Description |
|------------|---------------------------------------------|
| 801-029-20 | 24"Wx24"Lx12"D with diamond plate steel lid |
| 801-030-20 | 24"Wx24"Lx24"D with diamond plate steel lid |
| 801-032-20 | 24"Wx36"Lx12"D with diamond plate steel lid |
| 801-033-20 | 24"Wx36"Lx24"D with diamond plate steel lid |
| 801-035-20 | 36"Wx36"Lx12"D with diamond plate steel lid |
| 801-036-20 | 36"Wx36"Lx24"D with diamond plate steel lid |

* Also available with a depth of 36" upon request.



| Accessory | Description |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Big Dog AHCV This Aluminum Housing Closure with Vault has our patented LifeSaver™ roof design providing maximum airflow to the equipment helping to maintain proper operating temperatures. |
|  | Metal Diamond Plate (24" x 36") ANSI – Light Duty Rated, Vertical Load 3,000 lbs. <i>(Other sizes available with cabinet mounting and access cutout)</i> |



Composilite Pad



Starfighter™ Dome



7" Sno-Shoe®



Optima™ U



Fiber Tap Plus™



Multilink, Inc
 580 Ternes Ln, Elyria, OH 44035
 Tel: (440) 366-6966 Fax: (440) 366-6802





facebook.com/GoMultilink1



twitter.com/GoMultilink



youtube.com/GoMultilink

| North America | Europe, Middle East & Africa | Latin & South America |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com | Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com | Tel: +1 440 366 6966 Mobile: +1 440 366 6802 Email: lasupport@gomultilink.com |

Contact Us