



Micro Duct w/ Tracer

039-661-20

Product Description

Multilink's Micro Duct offers a wide variety of options to fit your needs. It is made out of rigid PVC with an outer diameter of 8.5mm and a wall thickness of .055mm. It offers the toughness to take any corners without damaging or bending the Micro Duct. It is offered in 1 to 12 fibers or can be ordered without fiber, with tracer and SpeedFlex™ from 1 to 12 fibers and with pull tape. All offerings come on a reel of 1000ft in length. Couplers to connect multiple Micro Duct pieces together while protecting from the outside elements are also offered.

Features & Benefits

- Easily Push and Pull Fiber Through Conduit
- Made From Flame Retardant Material
- Printed Sequential Footage
- Chemical and Weather Resistance
- High Impact Strength Rating
- Tracer Wire

Copyright © 2016 Multilink Inc. • All rights reserved • Specifications subject to change without notice • Rev. November 17, 2016




Specifications

Parameter	Specification
Diameter:	8.5mm
Quantity:	1,000ft Spool
Material:	Rigid PVC
Color:	Orange
Flame Rating:	UL94 V-0 Rated Material, ASTM D-635
Bend Radius:	6"
Flexural Strength:	11,000psi
Tracer Wire:	Yes
Pull Tape:	Yes

Accessories

Fiber Cable

Products	Description	Stock ID
	SpeedFlex™	Varies

Contact Us

North America	Europe, Middle East & Africa	Latin & South America
Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com	Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com	Tel: +1 954 499 9203 Mobile: +1 305 684 2388 Email: hquinones@gomultilink.com

Multilink®

Innovation At Work



Multilink Inc.
 580 Ternes Ln
 Elyria, OH 44035
 Tel: (440) 366-6966
 Fax: (440) 366-6802



facebook.com/GoMultilink



twitter.com/GoMultilink



youtube.com/GoMultilink

© Multilink Inc. 2016 • All Rights Reserved

North America	Europe, Middle East & Africa	Latin & South America
Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com	Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com	Tel: +1 954 499 9203 Mobile: +1 305 684 2388 Email: hquinones@gomultilink.com

Contact Us